



ZAHRADNÍ

GARDEN
GARTENBELEUCHTUNG

ELEKTRO HOLEŠOVICE JML s.r.o.,
Bubenská 1536/43, 170 00 Praha 7 - Holešovice
tel: +420 731 414 804, 733 311 023
e-mail: obchod@elektroholesovice.cz,
info@elektroholesovice.cz
www.elektroholesovice.cz
FACEBOOK: Elektro Holešovice



PARK N

230V
~50Hz

IP33

E27



↕ 250mm

↔ 200mm

↗ 240mm

ZOM-N-20/B	□ ○	60W	375,-	15,28
ZOK-N-20/B	□ ○	60W	375,-	15,28
ZOM-N-20/C	■ ○	60W	375,-	15,28
ZOK-N-20/C	■ ○	60W	375,-	15,28
ZPK-N-20/B	□ ○	60W	395,-	16,09
ZPP-N-20/B	□ ○	60W	395,-	16,09
ZPK-N-20/C	■ ○	60W	395,-	16,09
ZPP-N-20/C	■ ○	60W	395,-	16,09

PARK S

230V
~50Hz

IP33

E27


TIME 10±5s~4±1min
LUX 10~200lx

▲ 130°/2,5m ▲ 60°/8m

PIR senzor | PIR sensor

ZOM-S-20/B	□ ○	60W	635,-	25,87
ZOK-S-20/B	□ ○	60W	635,-	25,87
ZOM-S-20/C	■ ○	60W	635,-	25,87
ZOK-S-20/C	■ ○	60W	635,-	25,87
ZPK-S-20/B	□ ○	60W	655,-	26,69
ZPP-S-20/B	□ ○	60W	655,-	26,69
ZPK-S-20/C	■ ○	60W	655,-	26,69
ZPP-S-20/C	■ ○	60W	655,-	26,69

↕ 280mm

↔ 200mm

↗ 240mm

PARK 1

230V
~50Hz

IP33

E27

↑
A - 200mm
B - 400mm
C - 600mm
D - 900mm
↓


↔ 200mm

↗ 200mm

ZOM-2020	■ ○	A	60W	455,-	18,54
ZOM-2040	■ ○	B	60W	505,-	20,57
ZOM-2060	■ ○	C	60W	515,-	20,98
ZOM-2090	■ ○	D	60W	595,-	24,24
ZOK-2020	■ ○	A	60W	455,-	18,54
ZOK-2040	■ ○	B	60W	505,-	20,57
ZOK-2060	■ ○	C	60W	515,-	20,98
ZOK-2090	■ ○	D	60W	595,-	24,24
ZPK-2020	■ ○	A	60W	495,-	20,17
ZPK-2040	■ ○	B	60W	545,-	22,20
ZPK-2060	■ ○	C	60W	555,-	22,61
ZPK-2090	■ ○	D	60W	635,-	25,87
ZPP-2020	■ ○	A	60W	495,-	20,17
ZPP-2040	■ ○	B	60W	545,-	22,20
ZPP-2060	■ ○	C	60W	555,-	22,61
ZPP-2090	■ ○	D	60W	635,-	25,87

PARK 2

230V
~50Hz

IP33

E27

↑
A - 200mm
B - 400mm
C - 600mm
D - 900mm
↓


↔ 250mm

↗ 250mm

ZOM-2520	■ ○	A	60W	625,-	25,46
ZOM-2540	■ ○	B	60W	665,-	27,09
ZOM-2560	■ ○	C	60W	705,-	28,72
ZOM-2590	■ ○	D	60W	765,-	31,17
ZPK-2520	■ ○	A	60W	665,-	27,09
ZPK-2540	■ ○	B	60W	695,-	28,31
ZPK-2560	■ ○	C	60W	745,-	30,35
ZPK-2590	■ ○	D	60W	815,-	33,20
ZPP-2520	■ ○	A	60W	665,-	27,09
ZPP-2540	■ ○	B	60W	695,-	28,31
ZPP-2560	■ ○	C	60W	745,-	30,35
ZPP-2590	■ ○	D	60W	815,-	33,20

NÁHRADNÍ KOULE

SPARE GLOBES | ERSATZKUGEL



○ mléčná

○ kouřová



○ prizma
kouřová

○ prizma
čirá

200mm

ZOM-200	○	215,-	8,76
ZOK-200	○	215,-	8,76
ZPK-200	○	235,-	9,57
ZPP-200	○	235,-	9,57

250mm

ZOM-250	○	445,-	18,13
ZPK-250	○	465,-	18,94
ZPP-250	○	465,-	18,94

MODERNA MVU

ALUMINIUM



230V
~50Hz

IP33

E27


↑↓ 300mm
↔ 290mm
↗ 290mm

MVU5602/B □ 100W

395,- 16,09

MODERNA MSU

ALUMINIUM



230V
~50Hz

IP33

E27

↑↓ 300mm
↔ 290mm
↗ 290mm

MSU5601/B □	100W	395,-	16,09
MSU5601/C ■	100W	395,-	16,09
MSU5601/CH ■	100W	395,-	16,09

TORCH N

ALUMINIUM



230V
~50Hz

IP44

E14

↑↓ 360mm
↔ 65mm
↗ 65mm

ZTN-1010 ■ 11W

495,- 20,17

TORCH

ALUMINIUM



230V
~50Hz

IP44

E14

↑↓ 360mm
↔ 65mm
↗ 65mm

ZTR-1045 ■ 11W

795,- 32,39

FIERA N

ALUMINIUM

LED 30000 h 80%
30000 h 80%



230V
~50Hz

IP44


↑↓ 210mm
↔ 85mm
↗ 15mm

PN42100001 ■ ○	LED 3W	1295,-	52,76
PN42200001 ■ ○	LED 3W	1295,-	52,76

TERMOLI N

ALUMINIUM

LED 30000 h 80%
30000 h 80%



230V
~50Hz

IP54


↑↓ 130mm
↔ 150mm
↗ 60mm

PN42300003 ■ ○ LED 6W 1495,- 60,91

OLBIA N

ALUMINIUM

LED 30000 h 80%
30000 h 80%



230V
~50Hz

IP54

↑↓ 100mm
↔ 185mm
↗ 80mm

PN42300001 ■ ○ LED 5W 1295,- 52,76

FIERA

ALUMINIUM

LED 30000 h 80%
30000 h 80%



230V
~50Hz

IP44

↑↓ 570mm
↔ 85mm
↗ 70mm

PN42100002 ■ ○	LED 3W	1795,-	73,13
PN42200002 ■ ○	LED 3W	1795,-	73,13

TERMOLI

ALUMINIUM

LED 30000 h 80%
30000 h 80%



230V
~50Hz

IP54


↑↓ 600mm
↔ 150mm
↗ 60mm

PN42300004 ■ ○ LED 6W 1995,- 81,28

OLBIA

ALUMINIUM

LED 30000 h 80%
30000 h 80%



230V
~50Hz

IP54

↑↓ 600mm
↔ 185mm
↗ 80mm

PN42300002 ■ ○ LED 5W 1795,- 73,13



GARD

ALUMINIUM



NOS-E14



VOS-E14

		TIME 10±5s~4±1min LUX 10lx		90°		60°/7m			
NOO, NOZ NOS, NZS		PIR sensor PIR sensor							
↕	360mm	NOO-E14	-	60W	11W	695,-	28,31		
↔	100mm	NOZ-E14	☉	60W	11W	795,-	32,39		
↗	100mm	NOS-E14	☉	60W	11W	895,-	36,46		
VOO, VOZ VOS, VZS									
↕	760mm	VOO-E14	-	60W	11W	995,-	40,54		
↔	100mm	VOZ-E14	☉	60W	11W	1095,-	44,61		
↗	100mm	VOS-E14	☉	60W	11W	1195,-	48,69		
↗	100mm	VZS-E14	☉	60W	11W	1295,-	52,76		

230V
~50Hz

IP44

E14

GARD LED

ALUMINIUM

LED 3000h, 80%



NOS-LED



VOS-LED

NOO, NOZ NOS, NZS		LUX 10lx		soutmraťový senzor twilight sensor Dämmerungssensor					
↕	360mm	NOO-LED	-	16LED	1,2W	995,-	40,54		
↔	100mm	NOZ-LED	☉	16LED	1,2W	1095,-	44,61		
↗	100mm	NOS-LED	☉	16LED	1,2W	1195,-	48,69		
VOO, VOZ VOS, VZS									
↕	760mm	VOO-LED	-	16LED	1,2W	1295,-	52,76		
↔	100mm	VOZ-LED	☉	16LED	1,2W	1395,-	56,83		
↗	100mm	VOS-LED	☉	16LED	1,2W	1495,-	60,91		
↗	100mm	VZS-LED	☉	16LED	1,2W	1595,-	64,98		

230V
~50Hz

IP44

PISO

ANTICORRO



PK-35

P-18



↕ 145mm
↔ 80mm
↗ 145mm

12V
AC/DC

IP65

GU5,3

35W 495,- 20,17

BODEC PISO | SPIKE PISO | SPITZE PISO - 180mm

P-18 145,- 5,91

OKO

ALUMINIUM

LED 3000h, 80%



↕ 195mm
↔ 55mm
↗ 55mm

350mA

IP54

OKN-1LED/T 1 LED 1W 445,- 18,13

OKN-1LED/S 1 LED 1W 445,- 18,13

OKO P

ALUMINIUM

LED 3000h, 80%



↕ 330mm
↔ 40mm
↗ 40mm

350mA

IP54

OKP-1LED/T 1 LED 1W 495,- 20,17

OKP-1LED/S 1 LED 1W 495,- 20,17

OKO 3

ALUMINIUM

LED 3000h, 80%



P-21



↕ 205mm
↔ 97mm
↗ 97mm

350mA

IP54

OKN-3LED/T 3 LED 3W 995,- 40,54

OKN-3LED/S 3 LED 3W 995,- 40,54

BODEC OKO 3 | SPIKE OKO 3 | SPITZE OKO 3 - 210mm

P-21 95,- 3,87

RULO I

ALUMINIUM



230V
~50Hz
IP40
GU10

↕ 110mm
↔ 90mm
↗ 90mm

LH-9054 ■ 50W 495,- 20,17

RULO II

ALUMINIUM



230V
~50Hz
IP40
GU10

↕ 180mm
↔ 90mm
↗ 90mm

LH-9055 ■ 2x25W 595,- 24,24

MAREA I

ALUMINIUM



230V
~50Hz
IP44
E27

↕ 180mm
↔ 90mm
↗ 90mm

LH-9171 ■ 60W 695,- 28,31

SPLENDID

ALUMINIUM



230V
~50Hz
IP54
G9

↕ 110mm
↔ 110mm
↗ 120mm

LH-9058-B ■ 40W 595,- 24,24

STILO

ALUMINIUM




230V
~50Hz
IP54
G9

↕ 110mm
↔ 110mm
↗ 120mm

LH-9098 ■ 25W 635,- 25,87

ASTRO

ALUMINIUM



230V
~50Hz
IP40
G9

↕ 90mm
↔ 90mm
↗ 68mm

LH-9115 ■ 25W 395,- 16,09

CANTO

ALUMINIUM

LED 30000h 80%



230V
~50Hz
IP54

↕ 90mm
↔ 90mm
↗ 100mm

LHT-9062 ■ ○ 2LED 6W 1095,- 44,61
LHS-9062 ■ ○ 2LED 6W 1095,- 44,61

EFFECTO

ALUMINIUM

LED 30000h 80%



230V
~50Hz
IP54

↕ 160mm
↔ 48mm
↗ 80mm

LHT-9061 ■ ○ 2LED 6W 1195,- 48,69
LHS-9061 ■ ○ 2LED 6W 1195,- 48,69





CAROLA | CAROLA LED

ALUMINIUM

LED 30000 h 80%



↑↓ 110mm
↔ 110mm
↗ 50mm

LH-9097	■	G9 25W	395,-	16,09
LHT-9097	■ ●	15LED 1,5W	595,-	24,24
LHS-9097	■ ●	15LED 1,5W	595,-	24,24

LAISTRA | LAISTRA LED

ALUMINIUM

LED 30000 h 80%



↑↓ 120mm
↔ 120mm
↗ 50mm

LH-9096	■	G9 25W	395,-	16,09
LHT-9096	■ ●	24LED 2,4W	695,-	28,31
LHS-9096	■ ●	24LED 2,4W	695,-	28,31

INDEX 9 LED

ANTICORRO

LED 30000 h 80%



↑↓ 65mm
↔ 65mm
↗ 60mm



ID-B04/T	■ ●	9LED 0,5W	295,-	12,02
ID-B04/S	■ ●	9LED 0,5W	295,-	12,02

INDEX 12 LED

ANTICORRO

LED 30000 h 80%



↑↓ 40mm
↔ 105mm
↗ 60mm



ID-A04/T	■ ●	12LED 1W	295,-	12,02
ID-A04/S	■ ●	12LED 1W	295,-	12,02

INDEX GRILL 12 LED

ANTICORRO

LED 30000 h 80%



↑↓ 40mm
↔ 105mm
↗ 60mm



ID-A03/T	■ ●	12LED 1W	295,-	12,02
ID-A03/S	■ ●	12LED 1W	295,-	12,02

INDEX 16 LED

ANTICORRO

LED 30000 h 80%



↑↓ 95mm
↔ 95mm
↗ 60mm



ID-B04B/T	■ ●	16LED 1W	555,-	22,61
ID-B04B/S	■ ●	16LED 1W	555,-	22,61

INDEX 16 LED

ANTICORRO

LED 30000 h 80%



↑↓ 55mm
↔ 160mm
↗ 60mm



ID-A04B/T	■ ●	16LED 1W	565,-	23,02
ID-A04B/S	■ ●	16LED 1W	565,-	23,02

INDEX GRILL 16 LED

ANTICORRO

LED 30000 h 80%



↑↓ 55mm
↔ 160mm
↗ 60mm



ID-A03B/T	■ ●	16LED 1W	565,-	23,02
ID-A03B/S	■ ●	16LED 1W	565,-	23,02

INCAST 14 LED

ALUMINIUM

LED 30000 h 80%



120mm
120mm
85mm

120mm
120mm
64mm

IC-J01/T 14LED 1W 535,- 21,80
IC-J01/S 14LED 1W 535,- 21,80

INCAST 15 LED

ALUMINIUM

LED 30000 h 80%



145mm
95mm
115mm

135mm
90mm
93mm

IC-J03A/T 15LED 1W 645,- 26,28
IC-J03A/S 15LED 1W 645,- 26,28

CAST LED

ALUMINIUM

LED 30000 h 80%



45mm
110mm
60mm

PN42100003 12LED 2,4W 895,- 36,46
PN42200003 12LED 2,4W 895,- 36,46

INCAST 18 LED

ALUMINIUM

LED 30000 h 80%



140mm
140mm
100mm

135mm
135mm
93mm

IC-J04A/T 18LED 1W 765,- 31,17
IC-J04A/S 18LED 1W 765,- 31,17

INCAST 27 LED

ALUMINIUM

LED 30000 h 80%



140mm
185mm
100mm

135mm
180mm
93mm

IC-J05A/T 27LED 1,5W 885,- 36,06
IC-J05A/S 27LED 1,5W 885,- 36,06

SVORKOVNICE IP54

CONNECTION BOX IP 54

LÜSTERKLEMME IP54

230V
~50Hz

IP54



56mm
26mm
16mm

CB-54 45,- 1,83





ROAD 7 LED

ANTICORRO

LED 30000 h 80%

230V
~50Hz

IP67



100mm
 60mm

RO-G01/T		7LED 0,5W	465,-	18,94
RO-G01/S		7LED 0,5W	465,-	18,94

ROAD 9 LED

ANTICORRO

LED 30000 h 80%

230V
~50Hz

IP67



85mm
 80mm

RO-G02/T		9LED 1W	535,-	21,80
RO-G02/S		9LED 1W	535,-	21,80

ROAD 12 LED

ANTICORRO

LED 30000 h 80%

230V
~50Hz

IP67



102mm
 103mm

RO-C03/T		12LED 1W	815,-	33,20
RO-C03/S		12LED 1W	815,-	33,20

ROAD 12 LED 12V

ANTICORRO

LED 30000 h 80%

12V
AC/DC

IP67



102mm
 103mm

RO-C53/T		12LED 1W	915,-	37,28
RO-C53/S		12LED 1W	915,-	37,28

ROAD 24 LED

ANTICORRO

LED 30000 h 80%

230V
~50Hz

IP67



128mm
 140mm

RO-G06/T		24LED 2W	1045,-	42,57
RO-G06/S		24LED 2W	1045,-	42,57

ROAD 24 LED 12V

ANTICORRO

LED 30000 h 80%

12V
AC/DC

IP67



128mm
 140mm

RO-C56/T		24LED 2W	1095,-	44,61
RO-C56/S		24LED 2W	1095,-	44,61

INSTALACE ROAD

INSTALLATION

INSTALLATION

